EUROPEAN INSTITUTE OF INNOVATION (EIIET)

Department of Healthcare Management & Health Economics

ASSIGNMENT REPORT

QUALITY OF HEALTH SERVICES: OPTION 1 - DESIGNING CONTINUOUS QUALITY IMPROVEMENT (CQI) AND PATIENT SAFETY FRAMEWORKS

Student Name:	Vaghani Paras Hareshbhai
Student ID:	DE240399
Programme:	Healthcare Management & Health Economics
Module:	Quality of Health Services (M06)
Submission Date:	19 / 10 / 2026
Institution:	EIIET (European Institute of Innovation)

Table of Contents

1. Abstract Page 2

2. Introduction Page 3

3. Literature Review Page 3

4. Methodology Page 4

5. Findings & Quality Analysis Page 5

6. Discussion Page 6

7. Strategic CQI & Safety Framework Page 7

8. Conclusion & Recommendations Page 7

9. References Page 8

10. Appendices Page 8

1. Abstract

This report examines how healthcare institutions can design and execute Continuous Quality Improvement (CQI) frameworks to improve clinical outcomes and reduce risks to patient safety. In healthcare management, ensuring high service quality is essential because mistakes can cause harm or even death to patients. This study evaluates three major quality management methodologies: the Plan-Do-Check-Act (PDCA) cycle, Lean Six Sigma, and Donabedian's Structure-Process-Outcome model. Furthermore, it explains how data collected from clinical performance indicators, adverse event reporting systems, and patient safety indicators are used in hospital settings.

By evaluating real-world hospital case studies, including Virginia Mason Medical Center and Johns Hopkins Hospital, the report highlights key success factors like leadership commitment and open reporting cultures, as well as operational challenges such as staff burnout and cultural resistance. Finally, a practical, actionable quality improvement framework is presented for healthcare administrators to reduce clinical mistakes and build a sustainable safety culture.

2. Introduction

In modern healthcare systems, providing high-quality care and maintaining patient safety are primary goals for health managers and clinical leaders. Quality in healthcare means delivering safe, effective, patient-centred, timely, efficient, and equitable care (World Health Organization [WHO], 2020). However, medical errors remain a major problem worldwide. According to Makary and Daniel (2016), medical errors are one of the leading causes of death in hospitals globally, causing thousands of avoidable deaths every year. These adverse events not only cause suffering to patients and their families but also increase financial strain on healthcare facilities.

To tackle these issues, healthcare institutions must move away from reactive approaches—where errors are addressed only after they happen—towards proactive, systematic strategies. Continuous Quality Improvement (CQI) provides an effective approach that encourages healthcare organizations to constantly monitor, evaluate, and refine their operational processes (Shortell et al., 1998). This paper critically analyses key quality management methodologies, evaluates clinical indicator tracking, reviews real-life case studies, and outlines a practical safety framework for healthcare institutions.

3. Literature Review

Quality management in healthcare draws upon several classic theoretical frameworks developed over the last few decades. The most prominent models include Donabedian's Structure-Process-Outcome model, Deming's Plan-Do-Check-Act (PDCA) cycle, and Lean Six Sigma methodology.

Donabedian's Triad Model: A landmark contribution to healthcare quality assessment was made by Avedis Donabedian (1988), who proposed that quality should be evaluated using three dimensions: Structure, Process, and Outcome. *Structure* refers to physical equipment, facilities, staff qualifications, and institutional financing. *Process* represents the actual actions taken while delivering care, such as diagnostic testing, surgical procedures, and medication administration. *Outcome* measures the final health status of the patient, such as recovery rates, infection rates, or mortality. Donabedian argued that good structural conditions increase the likelihood of good processes, which in turn lead to better outcomes.

Plan-Do-Check-Act (PDCA) Cycle: Developed by Walter Shewhart and modified by W. Edwards Deming, the PDCA cycle provides a structured four-stage procedure for continuous operational learning and improvement (Deming, 1986). In the *Plan* stage, managers identify problem areas and plan a solution. In the *Do* stage, the change is implemented on a small scale. In the *Check* stage, results are measured using data analysis. Finally, in the *Act* stage, the change is fully adopted if successful, or adjusted if it failed.

Lean Six Sigma: Lean Six Sigma combines two operational methodologies. Lean focuses on removing waste and non-value-added steps in workflows, while Six Sigma uses statistical control to reduce process variability and defect rates (DelliFraine et al., 2010). In clinical settings, Six Sigma targets reducing defects to fewer than 3.4 errors per million opportunities using the DMAIC framework (Define, Measure, Analyze, Improve, Control).

Quality Model	Core Focus	Key Application in Healthcare	Main Advantage
Donabedian Model	Structure, Process, Outcome evaluation	Overall quality assessment of hospital departments	Provides clear, comprehensive framework
PDCA Cycle	Iterative four-step improvement process	Small-scale workflow and ward improvements	Simple, flexible, and easy to apply
Lean Six Sigma	Waste reduction & defect minimization	Emergency room wait times, medication dispensing	Data-driven with measurable financial savings

4. Methodology


This assignment report uses a qualitative secondary research methodology to examine quality management frameworks in healthcare settings. Literature and secondary data were gathered from academic databases such as PubMed, Google Scholar, ScienceDirect, and official health reports from organizations like the World Health Organization (WHO) and the Agency for Healthcare Research and Quality (AHRQ).

The research process involved collecting academic articles published between 1988 and 2024 related to CQI, patient safety, PDCA, Lean Six Sigma, and health indicators. Comparative case studies of health systems (e.g., Virginia Mason Medical Center and Johns Hopkins Hospital) were analysed to evaluate real-world practical applications. Data gathered from these sources were critically synthesized to draw conclusions and build a strategic quality framework.

5. Findings & Quality Analysis

The analysis shows that successful CQI implementation relies heavily on systematic collection, analysis, and interpretation of clinical performance data. Healthcare managers must establish a reliable process flow for handling key clinical performance indicators (KPIs), adverse event reports, and Patient Safety Indicators (PSIs).

Process Flow for Data Handling and Safety Indicators: To manage quality effectively, hospitals must collect data systematically rather than relying on informal observations. The workflow generally follows four distinct steps: Data Collection, Analysis & Interpretation, Feedback, and Actionable Intervention.



KEY PATIENT SAFETY INDICATORS (PSIS) TRACKED IN HOSPITALS

- **Hospital-Acquired Infections (HAIs):** Rates of Central Line-Associated Bloodstream Infections (CLABSI) and Catheter-Associated Urinary Tract Infections (CAUTI).
- **Surgical Complications:** Unplanned return to operating room and post-operative surgical site infections.
- **Medication Errors:** Near-misses and actual adverse drug events (ADEs) during administration.
- **Inpatient Falls:** Number of patient falls per 1,000 bed days with or without injury.

6. Discussion

To evaluate the practical effectiveness of CQI frameworks, it is valuable to examine real-world case studies of healthcare systems that have attempted systematic quality transformations.

Case Study 1: Virginia Mason Medical Center (VMMC)
In the early 2000s, Virginia Mason Medical Center in Seattle, USA, faced operational inefficiencies and financial losses. The leadership team adapted the Toyota Production System (TPS) to create the Virginia Mason Production System (VMPS) (Kenny, 2011). They eliminated non-value-added steps in clinical workflows and introduced "Patient Safety Alerts," allowing any staff member—from nurses to cleaners—to stop clinical operations if they identified a safety risk. This initiative reduced professional liability insurance costs by 74% and significantly improved patient safety outcomes. However, the transformation faced initial resistance from senior physicians who felt the standardized production methods restricted their professional autonomy.

Case Study 2: Johns Hopkins Keystone ICU Project
Led by Dr. Peter Pronovost, Johns Hopkins Hospital implemented a simple 5-step checklist to prevent Central Line-Associated Bloodstream Infections (CLABSI) in Intensive Care Units (Pronovost et al., 2006). The checklist ensured standard procedures like hand hygiene and full-barrier precautions were followed. When tested across 108 ICUs in Michigan, the project reduced CLABSI rates by 66% within three months, saving millions of dollars and hundreds of lives. A major success factor was empowering nurses to stop doctors if a checklist step was skipped.

Operational Successes and Challenges:
These case studies demonstrate that structured quality frameworks can yield major clinical improvements. However, common challenges persist. The primary obstacle is organizational culture. A traditional punitive culture—where staff fear punishment for reporting errors—leads to underreporting of near-misses. Additionally, heavy workload and administrative fatigue can cause staff burnout, making continuous data logging difficult for nurses and doctors.

7. Actionable Strategic CQI & Safety Framework

Based on the theoretical models and case study findings, healthcare managers require a structured, step-by-step framework to reduce clinical mistakes and cultivate a sustainable safety culture. The proposed 4-Pillar Safety Framework is outlined below:

THE 4-PILLAR ACTIONABLE HEALTHCARE QUALITY FRAMEWORK

Pillar 1: Leadership & Just Culture

Transition from a punitive culture to a "Just Culture." Encourage anonymous reporting of near-misses and errors without fear of immediate disciplinary action, reserving sanctions only for intentional misconduct.

Pillar 2: Standardized Clinical Protocols

Implement standardized evidence-based checklists (e.g., WHO Surgical Safety Checklist) across surgical, ICU, and emergency departments to eliminate preventable steps and human memory errors.

Pillar 3: Real-Time Data & Digital Reporting

Replace manual paper logs with integrated Electronic Health Record (EHR) incident reporting modules that automatically send safety alerts to unit managers within 24 hours.

Pillar 4: Staff Empowerment & Continuous Training

Provide continuous interprofessional training on safety methodologies (PDCA) and give frontline nursing staff explicit authority to stop unsafe clinical procedures.

8. Conclusion & Recommendations

In conclusion, achieving high-quality health services requires continuous dedication, structured methodologies, and a supportive organizational culture. Quality management tools such as PDCA, Lean Six Sigma, and Donabedian's model provide powerful frameworks for understanding and optimizing clinical care delivery.

Key Recommendations for Healthcare Administrators: 1. Form dedicated multidisciplinary quality improvement committees in every hospital department.
2. Invest in digital reporting software to simplify adverse event logging for nursing staff.
3. Conduct regular clinical audits and feed results back to staff in transparent monthly meetings.
4. Recognize and reward units that actively report near-misses to encourage a transparent safety culture.

9. References

DelliFraine, J. L., Langabeer, J. R., & Nembhard, I. M. (2010). Assessing the evidence of Lean and Six Sigma in health care and determining its implications for hospital leaders. *Journal of Healthcare Management*, 55(4), 211-225.

Deming, W. E. (1986). *Out of the Crisis*. Massachusetts Institute of Technology, Center for Advanced Engineering Study, Cambridge, MA.

Donabedian, A. (1988). The quality of care: How can it be assessed? *JAMA*, 260(12), 1743-1748.

Kenny, C. (2011). *Transforming Health Care: Virginia Mason Medical Center's Pursuit of the Perfect Patient Experience*. Productivity Press.

Makary, M. A., & Daniel, M. (2016). Medical error—the third leading cause of death in the US. *BMJ*, 353, i2139.

Pronovost, P., Needham, D., Berenholtz, S., Sinopoli, D., Chu, H., Cosgrove, S., ... & Goeschel, C. (2006). An intervention to decrease catheter-related bloodstream infections in the ICU. *New England Journal of Medicine*, 355(26), 2725-2732.

Shortell, S. M., Bennett, C. L., & Byck, G. R. (1998). Assessing the impact of continuous quality improvement on clinical practice: what it will take to accelerate progress. *Milbank Quarterly*, 76(4), 593-624.

World Health Organization. (2020). *Quality health services: A core responsibility of health systems*. Geneva: World Health Organization.

10. Appendices

Appendix A: Sample Incident Reporting Form Template

Date & Time of Incident: [DD/MM/YYYY - HH:MM]	**Department / Ward:** [e.g., Ward 4B]
Type of Incident: [ ] Medication Error [ ] Patient Fall [ ] Equipment Failure [ ] Other	**Severity Level:** [ ] Near Miss [ ] Minor Harm [ ] Major Harm
Brief Description of Event: _____	
Immediate Actions Taken: _____	