



European institute of Innovation, entrepreneurship and Technology

Name	:Cherry
Student ID	:240015
Subject	:Health Threat in Tourism

Table of Contents

1. Abstract	1
2. Communicable Diseases (NCDs): Overview	1
3. Non-Communicable Diseases (NCDs): Overview	2
4. Impact on Tourism Destinations and Destination Image	2
5. Strategic Responses For Communicable Diseases	3
6. Strategic Responses For Non-Communicable Diseases	4
7. Crisis Management Strategies for Communicable Diseases	4
8. Crisis Management Strategies for Non-communicable Diseases	5
9. Comparative Analysis	6
10. Discussion	6
11. Conclusion	7
12. References	8

Discuss communicable and non-communicable diseases, highlighting their impacts on tourism destinations and destination image, as well as the crisis management strategies employed to address these challenges.

Tourism destinations are highly vulnerable to health issues, which, along with communicable diseases, significantly impact traveller behaviour, destination image, and overall industry resilience. Communicable diseases like COVID-19, malaria, or influenza can be transmitted quickly through human contact, and as a result, travel restrictions may be imposed, people may get frightened to the extent that the number of visitors may decrease drastically. On the other hand, non-communicable diseases (NCDs), e.g., heart disease, diabetes, or cancer, though not contagious, affect the safety of tourists and the healthcare needs at the destination, thus changing the perceptions of the accessibility and medical preparedness. Any of these disease categories adversely affect destination image, because tourists are becoming more and more health, safety, and reliability of their chosen environment. Thus, the use of efficient crisis management policies, such as risk communication, health and safety protocols, medical infrastructure improvements, and partnerships with international health organizations, becomes a key factor in evoking traveler confidence, maintaining destination reputations, and guaranteeing the sustainability of the tourism sector in the long term.

Communicable diseases overview

Communicable diseases (CDs), or infectious diseases, are infections of microbes, for example, bacteria, viruses, fungi, or parasites that are capable of transferring-infecting from one human to another, animals to humans (zoonotic), or through the environment, e.g., food, water, or surfaces that are contaminated. The diseases can be contracted through different ways of transmission, such as direct contact (touching, kissing, and sexual contact), indirect contact (contaminated objects or surfaces), droplet infection (coughing or sneezing), airborne transmission, vector-borne routes (mosquitoes, ticks), and ingestion of contaminated food or water. Some examples are tuberculosis, influenza, malaria, HIV/AIDS, measles, and COVID-19.

Communicable diseases cause a massive negative impact, especially in low- and middle-income countries where the situation of healthcare, sanitation, and access to vaccines and treatments is not satisfactory, thus producing high morbidity and mortality rates. The prevention and control of CDs depend on health care supports such as the immunization program, better hygiene and sanitation, a safe water supply, health education, and quick diagnosis and treatment. Besides, surveillance systems and international cooperation are also very necessary to get outbreaks at the earliest stages, put effective containment strategies into practice, and lessen the load of infectious diseases on communities anywhere in the world.

Non-Communicable Diseases (NCDs): Overview

Non-communicable diseases (NCDs) are chronic ailments that are not transmissible from one human to another but are a result of an interaction between genes, physiology, the environment, and lifestyle. The four major groups of NCDs are cardiovascular diseases (for instance myocardial infarction and strokes), cancer, chronic respiratory diseases (such as chronic obstructive pulmonary disease and asthma) and diabetes, whereas in the recent past, these disorders have been dominated: psychiatric disorders, chronic kidney disease, and musculoskeletal disorders. Most of the time, NCDs are different from infectious diseases in that they are developed slowly and last for a long time, which eventually ends in disability, lower quality of life, and death at an early age. They are the greatest killers globally and are the major cause of death in low- and middle-income countries, which are less capable of managing healthcare resources and have weak prevention strategies. The main risk factors that contribute to NCDs are tobacco use, alcohol abuse, unhealthy diets that are high in sugar, salt, and trans fats, and physical inactivity, each of which leads to obesity, high blood pressure, and high cholesterol.

Moreover, there are other risk factors, such as the environment, which are polluted air and hazardous workplaces, that are the main causes of NCD sufferers. NCDs prevention measures need to be holistic and should involve the following: promoting healthy lifestyles, endorsing effective public health policies, upgrading health care systems for early diagnosis and treatment, and communication as a way of reducing stigma and promoting more healthy choices. Because NCDs depend not only on individuals but also on the economies and health care systems, dealing with them is a global priority for sustainable development and good overall population health.

Impact on Tourism Destinations and Destination Image

The influence of diseases that are either communicable or non-communicable has been shown to be remarkable and complex on a tourism destination. Infectious diseases such as COVID-19, Ebola, or Zika virus can lead to a sudden implementation of travel bans, lowering visitor numbers, and thus, a local economy that is heavily reliant on tourism, will be severely hit. Visitors usually do not want to go to places where there is a high possibility of getting infected; that is why there will be drops in hotels, restaurants, and transportation.

Besides, disease outbreaks may put a strain on local healthcare systems which may result in governments having to allocate resources meant for healthcare towards disease control. Conversely, non-communicable diseases (NCDs) like cardiovascular illnesses, diabetes, and chronic respiratory diseases can also have a remote effect on tourism. For example, a polluted area or one with poorly equipped medical facilities may not be attractive to the elderly and health-conscious tourists, whereas health problems among the local community may affect the workforce availability and the quality of services in the tourism industry.

In fact, these two types of diseases point to the requirement of solid healthcare infrastructure, the employment of good communication strategies, and also the introduction of preventive actions to guarantee the safety of tourists as well as to keep the destination appealing and sustainable.

Crisis Management and Strategic Responses For Communicable Diseases

Crisis management and strategic response toward a communicable disease outbreak involves a coordinated and systematic response to prevent, control and reduce the effects of infectious outbreaks on public health, society and the economy. The first step to effective management is early detection and rapid response - which requires a well functioning surveillance system, diagnostic tools for accurate case detection, and established communication pathways for reporting outbreaks. Strategic responses also include preventive strategies such public vaccination programs, health awareness activities, hygiene promotion, travel restrictions and quarantines to limit further disease transmission and outbreaks. Infrastructure must also be strengthened for surveillance, treatment, isolation and critical care capacity, while ensuring frontline workers are equipped with personal protective equipment and trained to use it effectively. These activities to strengthen capacity in the event or in anticipation of a communicable disease crisis can only be implemented with support from appropriate stakeholders, including government departments and agencies, international agencies and organizations and local communities to mobilize resources, implement policies and make real-time data available. Communication is also fundamental, especially in crises, for public perceptions, to combat misinformation and to ensure trust in public health authorities and adherence of to health advisories for compliance with control measures. Long-term strategies also encompass the research and development of new treatments, vaccines, and diagnostic technology, as well as continuous assessment of response activities in order to update and learn from these facts before the next outbreak. Ultimately, effective communicable disease crisis management relies on the integration of scientific, social, and administrative processes and methods to reduce health risks, protect vulnerable populations, and sustain a minimally functional society in the face of a public health emergency.

Crisis Management and Strategic Responses For Non-Communicable Diseases

Addressing the crisis management of non-communicable diseases (NCDs) must be guided by coordinated, progressive actions to be based on prevention and the long-term care of people living with NCDs. NCDs (e.g., diabetes; cardiovascular diseases; cancers; chronic respiratory diseases) present an enormous burden on health systems today; so, developing responses needs to focus on strengthening primary health care, promoting n early detection of NCDs, and affordable treatment. States, governments, and health organizations need clarity for policies, sustainable funding, and engagement with the private sector and community stakeholders for partnerships to develop resilience.

Responses can also be considered an upstream response prior to the availability of NCDs, through educational and awareness campaigns; processes to regulate harmful consumer goods - e.g., restricted sales or distribution of tobacco/alcohol, and technology being leverage for the delivery of care (in order to enhance data collection and reporting). In crisis, pandemics, or other healthcare processes where there are sudden changes to surrounding economies, continuity of care with respect to NCD patients can occur through the application of telemedicine, timely access to urgent supplies (i.e. medications), engaging community supports for outreach and continuity of care. Together we can reduce vulnerability, avoidable mortality, and develop a more robust health system.

Crisis Management Strategies for Communicable Diseases

Crisis management strategies for communicable diseases centre around prevention, preparedness, rapid response, and recovery to mitigate public health risks and societal destabilization. The first component of crisis management is preparedness, which includes establishing a strong surveillance capacity for early detection of outbreaks, training health care workers, stockpiling PPE and other critical medical supplies, and creating robust communication strategies. If a disease outbreak occurs, containment and rapid response are critical management strategies; these involve isolating cases, quarantining affected individuals, contact tracing, and ensuring that individuals can access care and receive medical treatment or vaccination if available. Risk communication is also important to managing not only incidents of communicable disease, but also to mitigate misinformation and fear in the community; authorities have a responsibility to keep the public regularly informed with accurate, transparent, and accessible information to address any potential uncertainty people may experience related to the outbreak. Interdisciplinary and multi-sector collaboration across public health, including healthcare systems, government agencies, national transportation, education systems, and international organizations or global agencies, is fundamental to the preparedness and response of any crisis, and to mobilizing partners and resources efficiently and effectively. Furthermore, healthcare infection prevention and control, hygiene, personal protective equipment, and sanitation can assist in limiting transmission. When the emergency is over, the recovery begins - evaluating the emergency response, strengthening health systems, offering psychosocial support to affected communities, and building longer-term capacity to prevent future outbreaks. In short, crisis management approaches for communicable diseases involve readiness, response, and recovery systems to protect health and socio-economic stability.

Crisis Management Strategies for Non-communicable Diseases

Strategic approaches to crisis management of non-communicable diseases (NCDs) (cardiovascular disease, diabetes, cancers, and chronic respiratory diseases) will need to be comprehensive, proactive, and multi-faceted and multi-sectoral to minimize immediate risks as well as longer term ones beyond health. The most effective approaches will seek to

strengthen health systems through delivery systems that include early detection, ongoing care, and preparedness planning, to ensure that essential medicines, technologies, and health services remain accessible when needed. During emergencies (e.g., pandemics, natural disasters, or economic crises), we need to ensure that these systems are in place and can function seamlessly without disruption. Governments and health-related organizations have the vital role of developing preventative approaches to deter NCDs in the first place; many social policies and systems can promote healthy behaviours that will benefit quality of life (think about using other policy domains to restrict all the risk factors related to tobacco use, poor diet, physical inactivity and alcohol consumption). Crisis management should be accompanied by rigorous systems of data collection (including active surveillance) and monitoring of data that capture spatial (proximity, geographic) and temporal (in-space/time) elements of NCDs that emerge. To improve response, it is essential to react on time to raised morbidity and mortality related to NCDs in addition to discovering new or emerging trends, even if health systems and prevention measures cope. Collaboration among public health entities, private healthcare providers, community organizations, and international partners is vital to mobilizing resources, building awareness, and giving equitable access to health services. Also, the integration of mental health support, community-based actions, and improvements in digital health—such as telehealth—may provide continuity of care outside of the baseline health service delivery. Counting on approaches that include prevention, preparedness, resilience-building, and inclusive health services can lessen the load of NCDs and the heightened risk for marginalized communities during periods of uncertainty, and make effective use of crisis management initiatives.

Comparative Analysis

While communicable and non-communicable diseases have fundamentally different bases, transmission, and impacts on population health, communicable diseases can be defined as infectious, caused by pathogens (bacteria, viruses, fungi, parasites), and either spread directly from person-to-person, person-to-animal, or indirectly via food, water, air, vector, or in some cases animal contact. For instance, tuberculosis, malaria, influenza, and HIV/AIDS are communicable diseases. Non-communicable diseases (NCDs), are non-infectious diseases that cannot be transmitted; they develop over time and arise from various factors including genetics, physiology, environmental influences, and lifestyle choices (e.g., diet, physical inactivity, smoking, and alcohol consumption). Common NCD's include diabetes, cardiovascular diseases, cancers, and chronic respiratory diseases. Another important difference lies in the prevention and control of It is possible for communicable diseases to be prevented through vaccination, sanitation, vector control, and access to early treatment. Non-communicable diseases are not prevented but long-term managed through making changes in lifestyle, screening programs and medical services. Both communicable and non-communicable diseases present serious public health threats globally. However, communicable diseases thrive in lower-income regions with poor or non-existent healthcare options, whereas non-communicable diseases are becoming more common in every corner of the world, particularly among urbanized and industrialized societies. Together, they

demonstrate the necessity for global health systems to incorporate the health problems resulting from infectious risks and lifestyle-based health burdens.

Discussion

Communicable diseases and non-communicable diseases present significant differences in both their nature and their course and causes, and both pertain to health matters of international importance. Communicable diseases are also known as infectious diseases, and are caused by microbiological organisms called pathogens. These pathogens could be bacteria, viruses, fungi, or parasites. Examples of communicable diseases include tuberculosis, malaria, influenza, and HIV/AIDS. Communicable diseases can be spread from one individual to another, via contaminated food and water, air droplets, or insect vectors. Communicable diseases typically arise rapidly in situations where sanitation problems exist, overcrowded living conditions prevail, and scarce health care options require limited access to health care. Some communicable diseases are preventable by vaccination, maintaining hygiene, ensuring sanitation, and public health constraints. Noncommunicable diseases (NCDs) are not infectious diseases and do not transmit from person to person. Non-communicable diseases arise slowly over time in an individual and are often related to genetic biology, lifestyle choices, and environmental settings. Some of the most common NCDs are diabetes, cancer, cardiovascular diseases, chronic respiratory diseases, and hypertension, which require long-term management. Although communicable diseases can be treated or controlled in a relatively short-term manner, NCDs can create long-term management issues and create life-long complications if not dealt with effectively/efficiently. The increase in NCDs is strongly tied to poor diet, physical inactivity, smoking, alcohol use, and stress, which highlights the importance of change in pay and the need for early screening/prevention in the prevention of NCDs. In conclusion, communicable diseases have an immediate health impact due to direct contact and/or transmission and are rapidly dealt with; whereas, NCDs pose health challenges over the long term, both communicable and non-communicable health concerns need different interventions to reduce health burden and reduce the burden on the individual and society in general.

Conclusion

In conclusion, the burden of communicable and non-communicable diseases continues to be a significant burden to the health of populations in most if not all countries around the world, although they differ in their causes, transmission, and prevention. Communicable diseases, such as tuberculosis, influenza, and COVID-19, are easily spread from person to person through direct or indirect contact (contagious) and can easily be controlled through hygiene, vaccines, early identification, and timely treatment. Conversely, non-communicable diseases, such as diabetes, cancer, and cardiovascular diseases, are not contagious and arise from a variety of factors including genetic predisposition, unhealthy living, consumption of unhealthy diets, leading sedentary lifestyles, and living in unhealthy environments.

Attempting to prevent non-communicable diseases often requires long-term changes in behavioural and lifestyle decisions, awareness of risk factors, and equitable access to healthcare services. Communicable diseases can also cause significant costs to health systems and communities by sudden outbreaks and cases of high morbidity and mortality. In contrast, non-communicable diseases accumulate over time, creating both additional burdens and long-term complications on health. Thus, both communicable and non-communicable diseases require effective health strategies engaging multiple stakeholders and factors, such as education, awareness, expanding access to improved medical facilities and services, access to vaccination programs, access to enhanced tumour markers and important screening programs, and promotion of healthier lifestyles. We have shown above that while disease burdens can reduce individual and population suffering, promote increased life expectancy, and improve quality of life for individuals and communities, effective prevention and control of diseases arising from the above factors must ensure management of the prevalence of those factors affecting the development and spread of all diseases.

References:

- Hakim, I. N., Eddyono, F., & Abdullah, S. (2022). Intensi perilaku berwisata alam pasca vaksinasi Covid-19. *Jurnal Master Pariwisata (JUMPA)*, 222. <https://doi.org/10.24843/jumpa.2022.v09.i01.p10>
- Au, A. K. M., Ramasamy, B., & Yeung, M. C. H. (2005). The effects of SARS on the Hong Kong tourism industry: An empirical evaluation. *Asia Pacific Journal of Tourism Research*, 10(1), 85–95. <https://doi.org/10.1080/1094166042000330236>
- Brouder, P. (2020). Reset redux: possible evolutionary pathways towards the transformation of tourism in a COVID-19 world. *Tourism Geographies*, 22(3), 484–490. <https://doi.org/10.1080/14616688.2020.1760928>
- World Health Organization: WHO. (2024, December 23). Noncommunicable diseases. [https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases#:~:text=Overview,deaths%20\(32%20million\)%20occur.](https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases#:~:text=Overview,deaths%20(32%20million)%20occur.)
- Martinez, R. & Pan American Health Organization. (2025). NCDs at a Glance 2025. NCDs surveillance and monitoring: Noncommunicable disease mortality and risk factor prevalence in the Americas. In R. Caixeta, S. Luciani, D. Ondarsuhu, D. Machado, C. Cayetano, R. Oliveira, & A. Hennis (Eds.), NCDs at a Glance 2025. NCDs Surveillance and Monitoring: Noncommunicable Disease Mortality and Risk Factor Prevalence in the Americas (PAHO/NMH/NV/25-0002). Pan American Health Organization. <https://www.paho.org/sites/default/files/2025-03/ncds-glance-2025-21-mar.pdf>

- Hospedales, J., Santos-Burgoa, C., PAHO NCD Technical Workgroup, Espinal, M., Galvão, L., Blanco, A., Barcelo, A., Castro, J. L., Caixeta, R., Corvalan, C., Fitzgerald, J., Fortune, K., Grabman, G., Jacoby, E., Legetic, B., Luciani, S., Cara Mcananey, Marinho, F., Monteiro, M., . . . Velzeboer, M. (2011). Technical Reference Document on Non-communicable Disease Prevention and Control.
<https://www3.paho.org/hq/dmdocuments/2011/NCD-technical-reference-document-July-2011.pdf>
- Benziger, C. P., Roth, G. A., & Moran, A. E. (2016). The global burden of disease study and the preventable burden of NCD. *Global Heart*, 11(4), 393.
<https://doi.org/10.1016/j.gheart.2016.10.024>
- World Health Organization. (2012). Reference list. Prevention and Control of Noncommunicable Diseases - NCBI Bookshelf.
<https://www.ncbi.nlm.nih.gov/books/NBK148612/#:~:text=Health%20Organization;%202012.-,Reference%20List,5>.
- Luciani, S., Nederveen, L., Martinez, R., Caixeta, R., Chavez, C., Sandoval, R. C., Severini, L., Cerón, D., Gomes, A. B., Malik, S., Gomez, F., Ordunez, P., Maza, M., Monteiro, M., Hennis, A., & Department of Noncommunicable Diseases and Mental Health, Pan American Health Organization. (2023). Noncommunicable diseases in the Americas: a review of the Pan American Health Organization's 25-year program of work. In *Rev Panam Salud Publica* (Vol. 47).
[https://iris.paho.org/bitstream/handle/10665.2/57388/v47e132023.pdf?sequence=1#:~:text=PAHO%20\(%20Organizaci%C3%B3n%20Panamericana%20de%20la%20Salud,as%20a%20comprehensive%20NCD%20approach%20\(Table%201\)](https://iris.paho.org/bitstream/handle/10665.2/57388/v47e132023.pdf?sequence=1#:~:text=PAHO%20(%20Organizaci%C3%B3n%20Panamericana%20de%20la%20Salud,as%20a%20comprehensive%20NCD%20approach%20(Table%201)).
-